| zippie | | | Zone - AADL W1 october 2024 EIRZ1 | 18 | | | |
|------------------------------|-----------------|---------|---|------------|-------------|-------|-----|
| Date: | | | SUBMI | TTING FOR: | D Quote | Order | |
| Dealer Acct #: | | | | | | | |
| Dealer: | | | PO#: | | | | |
| Dealer Contact: | | | Ship To: | | | | |
| Dealer Address: | | | Attention: | | | | |
| Dealer City: | Prov: F | PC: | Address: | | | | |
| Dealer Phone: () | Fax: () | | Address: | | | | |
| | | | Ship To City: | | Prov: | PC: | |
| Confirm Via: 🛛 Fax | 🗆 Email | | Ship To Phone: (|) | Fax: (|) | |
| Mark For: | | | | | | | |
| Option # | Definition | Price | Option # | | Definition | Pri | ice |
| | | 1. FRAM | E STYLE | | | | |
| F | rame w/ seating | | | Frame v | w/o seating | | |

| | Frame w/ seating | | Frame w/o seating | | | | |
|---------|---|---------|-------------------|--|---------|--|---------|
| 190FS38 | Zippie Zone w/ seating | \$4,236 | | | 190FS40 | Zippie Zone w/o seating | \$3,808 |
| 190FS39 | Zippie Zone, Flared w/ seating (Increase of total frame length appx. 2" - 1" per side flare.) | \$4,236 | | | 190FS41 | Zippie Zone, Flared w/o seating (Increase of total frame length appx. 2" - 1" per side flare.) | \$3,808 |

| | | 2. TR | ANSIT |
|---------|---|-------|-------|
| 190TO41 | Transit Option WC19 Occupied (Rear frame extends 1" to accom. transit & not lose depth adj. range; N/A w/ 18" depth; N/A w/ seat ht. below 15" w/ inset frame) | NC | |

| 3. FRAME SEATUP | | | | | | | | |
|-----------------|-----------------|---|---|--|--------|--|--|----|
| | Frame Angle | Frame Angle Frame Inset Per Side (Footrest) | | | | | | |
| 190FA8 | 80º Frame Angle | NC | | | 190FF1 | | 0" | NC |
| | | | - | | 190FF2 | | 1" (N/A 8"-9" frame width or with flared frame) | NC |

| 4. FRAME WIDTH | | | | | | | | |
|----------------|----------------------------|----|---|--------|-----|----|--|--|
| 190W35 | 8" (N/A w/ 17"-18" depth) | NC | | 190W4 | 13" | NC | | |
| 190W36 | 9" (N/A w/ 17"-18" depth) | NC | | 190W 5 | 14" | NC | | |
| 190W1 | 10" (N/A w/ 17"-18" depth) | NC | | 190W6 | 15" | NC | | |
| 190W2 | 11" (N/A w/ 17"-18" depth) | NC | | 190W7 | 16" | NC | | |
| 190W3 | 12" | NC | _ | | | | | |

| 5. SEAT DEPTH (FRAME DEPTH) | | | | | | | | |
|-----------------------------|---|----------------------------|-------------|-----------------------|---|----|--|--|
| Fo | or additional caster/wheel clearance you can choose a | different frame length and | sling depth | (i.e. shorter sling v | vs longer frame to allow more wheel/caster combos.) | | | |
| 190SD2 | 9" (Frame grows 10" - 12") | NC | | 190SD7 | 14" (Frame grows 15" - 17") | NC | | |
| 190SD3 | 10" (Frame grows 11" - 13") | NC | | 190SD8 | 15" (Frame grows 16" - 18") | NC | | |
| 190SD4 | 11" (Frame grows 12" - 14") | NC | | 190SD9 | 16" (Frame grows 17" - 18") | NC | | |
| 190SD5 | 12" (Frame grows 13" - 15") | NC | | 190SD10 | 17" (Frame grows 18") | NC | | |
| 190SD6 | 13" (Frame grows 14" - 16") | NC | | 190SD11 | 18" (No Depth Growth) | NC | | |
| | | | _ | | (N/A with Transit) | | | |

| | | 6. SLING | DEPTH | | | |
|--------|--|----------------------------|-------------|------------------------|---|-----|
| | For additional caster/wheel clearance you can choose a | different frame length and | sling depth | (i.e. shorter sling vs | longer frame to allow more wheel/caster combo | s.) |
| 190GJ1 | 8" (Sling Grows 9"-10") | NC | | 190GJ6 | 13" (Sling Grows 14"-15") | NC |
| 190GJ2 | 9" (Sling Grows 10"-11") | NC | | 190GJ7 | 14" (Sling Grows 15"-16") | NC |
| 190GJ3 | 10" (Sling Grows 11"-12") | NC | | 190GJ8 | 15" (Sling Grows 16"-17") | NC |
| 190GJ4 | 11" (Sling Grows 12"-13") | NC | | 190GJ9 | 16" (Sling Grows 17"-18") | NC |
| 190GJ5 | 12" (Sling Grows 13"-14") | NC | | 190GJ10 | 17" (Sling Grows 18") | NC |
| | | | | 190GJ11 | 18" (No Growth) | NC |

| | S | | | |
|--|---|--|--|--|
| | | | | |
| | | | | |

| | Seating Systems | |
|---------|--|----|
| 1900P05 | Ultra Seat Sling (Tension Adjustable) | NC |
| 1900P04 | Omit Seat Sling | NC |

| | JAY Cushions (Optional) | | | | | | |
|-------|--|-----------------------|--------------------------------------|------------|--|--|--|
| To or | To order any JAY cushions on-chair, please see the JAY price list. | | | | | | |
| Cushi | on name or pa | rt number must be fil | led out with desired width and depth | | | | |
| | | JAY Bundled Cu | shion | | | | |
| | 190JC20 | Cushion Name o | r Part # | Price List | | | |
| _ | | Width (in.) | Depth (in.): | | | | |

| | | | 8. BACK | REST |
|------|-----------------------|--|---------|---------|
| | | | | |
| | | Backrest Type | | |
| | 190BT96 | Folding Angle Adj. w/ Double Lock Down | NC | Тс |
| | | | | |
| | | Backrest Upholstery | | |
| Must | complete Section A or | n next page | | |
| | 190BU1 | Standard Upholstery (N/A with Fold Down Push Handles) | NC | 8"- |
| | 190BU72 | Omit Std. Upholstery (N/A with Fold Down Push Handles) (Default when choose w/o seating) | NC | ha C |
| Must | complete Section B or | n next page | | L |
| | 190BU70 | Tension Adj. Ballistic Nylon 186BU70 (N/A with 8"-9" widths) | \$187 | |
| | 190BU73 | Omit Tens. Adj. Ballistic Nylon | NC | Sta |

| | | JAY Backs (Optional) | | | | | | |
|--------------------|----------------|--|-------------|--|--|--|--|--|
| Το οι | rder anv JAY | backs on-chair, please see the JAY Price Lst. Requ | ires Part # | | | | | |
| | | JAY Bundled Backrest | | | | | | |
| | 190JB02 | Backrest Name or Part # | Price List | | | | | |
| | | Width (in.) Height (in.): | _ | | | | | |
| | | | | | | | | |
| | | Backrest Handle Option (Stroller Handle) | | | | | | |
| | | single stroller handle; omit push handle recommended. F " extension and inside 4" ext. Double "D" tubing to elimina | , | | | | | |
| | 190A192 | Telescoping Push Handles (19" from Seat) | \$298 | | | | | |
| | 190A195 | Telescoping Push Handles - Tall (25" from seat to push handle) | \$298 | | | | | |
| | | | | | | | | |
| Backrest Extension | | | | | | | | |
| Stand | lard Extension | 2" | | | | | | |
| | 1900D20 | Rear Backrest Extension Brackets (4" overall) | \$155 | | | | | |

| | | | SECTIO | ON A - Sta | nda | ard | Upholster | ry | | |
|---------|----------|----------|--|------------------------|----------|--------|--------------|---------|--|-------------|
| | | | | | | | | | | |
| | 1005110 | | 1A: OMIT PUSH HANDLE OPTIONS | |) UPI | HOLS | TERY OR WH | | | |
| | 190PH2 | | Omit Push Handles | NC oose 0 or 1" Ins | e of a | nd Ba | ck Hoight | | | |
| | | | | | Seca | | ick neight | | | |
| | 190OD7 | | 0 inset (straight back tubes) | NC | ľ | | 190OD5 | | 1" inset (N/A 8"-9" widths) | \$108 |
| | | Setting | 6"- 8" Back Height | NC | 1 | | | Setting | 11"- 13" Back Height | NC |
| | | Setting | □ 6" □ 7" □ 8" | | | | | Setting | | |
| | | Setting | 9" - 13" Back Height | NC | OR | | | Setting | 14" - 16" Back Height | NC |
| | | J | | □ 13" | 10 | | | | | NO |
| | | Setting | 13" - 17" Back Height | NC | | | | Setting | 16" - 18" Back Height | NC |
| | _ | | 15" - 18" Back Height | NC | | | | | | |
| | | Setting | | | 1 | | | | | |
| | | | | | | | | | | |
| | (0000)10 | | 2A: INTEGRAL | | E OP1 | TIONS | SW/STANDA | RD UPH. | | |
| | 190PH6 | | Integral Push Handles | NC | | | | | | |
| | | | Ch | oose 0 or 1" Ins | set a | ind Ba | ick Height | | | |
| | 190OD7 | | 0 incot (straight back tithes) | NC | | | 190OD5 | | 1" incot (AI/A 9" 0" | \$400 |
| | | | 0 inset (straight back tubes) 9"-10" Back Height | NC | • | Ľ . | | | 1" inset (N/A 8"-9" widths) 12"- 14" Back Height | \$108 NC |
| | | Setting | | NC | - | | | Setting | | NC |
| | _ | Setting | 11" - 15" Back Height | NC | Я | | _ | Sotting | 14" - 16" Back Height | NC |
| | | Selling | | □ 15" | 0 | | | Setting | | |
| | | Setting | 13" - 16" Back Height | NC | | | | Setting | 16" - 18" Back Height | NC |
| | | | □ 13" □ 14" □ 15" □ 15" - 18" Back Height | 16" NC | | | | | □ 16" □ 17" □ 18" | |
| | | Setting | | | | | | | | |
| | | | | | | | | | | |
| | | | SECTION B - | VISH HANDLE | | | | | lon | |
| | 190PH2 | | Omit Push Handles | NC | OPTI | IUNS | W/ IENSION A | ADJ. | | |
| | 1001 112 | | | oose 0 or 1" Ins | set a | nd Ba | ck Height | | | |
| | | | | | | | | | | |
| | 190OD7 | | 0 inset (straight back tubes) | NC | 1 | | 190OD5 | | 1" inset (N/A 8"-11" widths) | \$108 |
| | | Setting | 11"- 14" Back Height | NC | | | | Setting | 11 "- 13" Back Height | NC |
| | | | □ 11" □ 12" □ 13" □ 14" 13" - 15" Back Height | NC | OR | | | | □ 11" □ 12" □ 13" 14" - 16" Back Height | NC |
| | | Setting | □ 13" □ 14" □ 15" | NO | | | | Setting | | No |
| | | Setting | 15" - 18" Back Height | NC | | | | Setting | 16" - 18" Back Height | NC |
| | | J | | | | | | J | | |
| | | | 2B: INTEGRA | L PUSH HANDL | E OF | PTION | IS W/ TENSIO | N ADJ. | | |
| | | | Integral Push Handles | NC | _ | | | | | |
| | | | | | | | | | | |
| | | | Ch | oose 0 or 1" Ins | set a | ind Ba | ICK Height | | | |
| | 190OD7 | | 0 inset (straight back tubes) | NC | | | 190OD5 | | 1" inset (N/A 8"-11" widths) | \$108 |
| - | | Soffin - | 9"-10" Back Height | NC | | | | Settin | 12"- 14" Back Height | NC |
| | Ц | Setting | □ 9" □ 10" | | | | Ľ | Setting | | |
| | | Setting | 11" - 14" Back Height | NC | N | | | Setting | 14" - 16" Back Height | NC |
| | | | □ 11" □ 12" □ 13" □ 14" 13" - 16" Back Height | NC | Ĭ | | | | □ 14" □ 15" □ 16" 16" - 18" Back Height | NC |
| | | Setting | | NC | - | | | Setting | | NC |
| | п | Setting | 15" - 18" Back Height | NC | | | | | | |
| | | Seturiy | | | | | | | | |
| | | | 3B: FOLD DOM | N PUSH HAND | | | NS W/ TENSIO | | | |
| | 190PH5 | | Fold Down Push Handles | \$102 | 0 | | | | | |
| | | | | | - | | | | | |
| | | | Ch | oose 0 or 1" Ins | set a | nd Ba | ck Height | | | |
| | 190OD7 | | 0 inset (straight back tubes) | NC | 1 | | 190OD5 | | 1" inset (N/A 8"-11" widths) | \$108 |
| _ | | Setting | 11"-12" Back Height | NC | | | | Setting | 15"- 17" Back Height | NC |
| | | 5 | 11" 12" 13" - 16" Back Height | NC | OR | | | | □ 15" □ 16" □ 17" 17" - 18" Back Height | NC |
| | | Setting | | | Ŭ | | | Setting | | |
| | | Settina | 15" - 18" Back Height | NC | | | | | | |
| | •• | | | | | | | | | |

Customer Service: 800-263-3390 Email: cscanada@sunmed.com Web: www.sunrisemedical.ca © 2024 MK-100015 REV 8 Page 3

9. ARMRESTS

190AM22

190AA129

| | | Α | rmrest - Pa | dded Swii | ng Away | | | | |
|---|----------|-----------------|----------------|--------------|---------------|---------|-------|---|-------|
| | | With | n Transit, Los | e 1" Seat De | epth Growth | | | | |
| | 190AA23 | | Padded Sv | wing Away · | - Low | | | | \$274 |
| | | Setting | □ 5" | □ 6" | □ 7" | | 8" | | 9" |
| | | | | | | | | | |
| | 190AA18 | | Padded Sv | ving Away · | - Std. | | | | \$274 |
| - | | Setting | □ 9" | □ 10" | □ 11" | | 12" | | 13" |
| | | Setting | □ 14" | | | | | | |
| | With | Transit, Lose 1 | " Seat Depth | Growth, bel | ow option add | s 3" in | Lengt | h | |
| | 190AA127 | | Padded Sv | ving Away ∙ | +3" - Low | | | | \$274 |
| | | Setting | □ 5" | □ 6" | □ 7" | | 8" | | 9" |
| | 190AA128 | | Padded Sv | ving Away+ | -3" - Std. | | | | \$274 |
| | | Setting | □ 9" | □ 10" | □ 11" | | 12" | | 13" |
| | | Setting | □ 14" | | | | | | |

| _ | 100701120 | | φ= |
|---|-----------|---|-------|
| | 190AA130 | T-Post Foam 2x tall | \$274 |
| | | | |
| | Α | mrest - Height Adjustable (see armrest matrix below |) |
| | Co | omes with std. armrest receiver only - N/A with 8"-9" depth | s |
| | 190AA11 | Single-Post Height Adj. Std. (N/A with 8"-11" depths) | \$334 |
| | 190AM23 | Desk Classic | NC |
| | 190AM21 | Desk Contour | NC |
| | 190AM24 | Full Classic | NC |
| | 190AM22 | Full Contour | NC |
| | 190AA29 | Single-Post Height Adj. Low. (N/A with 8"-9" depths) | \$334 |
| | 190AM23 | Desk Classic | NC |
| | 190AM21 | Desk Contour | NC |
| | 190AM24 | Full Classic | NC |
| | | | |

Full Contour

T-Post

Armrest - T-Post Foam (see armrest matrix below)

\$274

NC

н

Single Post

T-Post Foam xtra tall

| | | | Armrest Matrix | for Single Pos | and T-Post |
|-----------------|-----------------------------|---------------------|----------------|----------------|------------|
| A | Turnefor | CLASSIC | PAD | | - |
| Armrest Size | Transfer Tube Length (D) | Height Banga (H) | Pad Le | ngth (L) | |
| OIZE | Length (D) | Height Range (H) | Desk | Full | · '– |
| STD | 8" | 8" to 13" | 10-1/4" | 14" | |
| LOW | 5-1/4" | 6-1/2" to 10-1/2" | 10-1/4 | 14 | |
| | | | | | |
| Armrest | Transfer Tube | CONTOUF | r PAD | | |
| Size | Length (D) | Height Range (H) | Pad Le | ngth (L) | |
| 5120 | (D) | ricigin (Range (11) | Desk | Full | 1 |

| D | | |
|---|-----|--|
| | | |
| | 0 0 | |

| STD | 8" | 7-1/2" to 12-1/2" | 40.4/0" | 14 4/48 |
|-----------|-----------|-----------------------|---------|----------|
| LOW | 5-1/4" | 6" to 10" | 10-1/2" | 14-1/4" |
| | | Armrest - T-Post Foam | | - |
| Arm | rest Size | Height Range (H) | Pad Ler | ngth (L) |
| Xtra Tall | | 6" to 7" | 7-1/2" | |
| 2 | X Tall | 7" to 8" | 7-1 | /2" |

10. FOOTRESTS

| | 190F228 | Aluminum Tubular | NC |
|---|---------|---|-------|
| | 190F273 | Aluminum Tubular w/ Snap-On Cover | \$42 |
| | 190F50 | Aluminum Platform (8" width is only available with high mount option) | \$150 |
| _ | 190F276 | Angle Adj. Flip Back (N/A with 6" caster with an 8" width) | \$243 |

| N/A | with Aluminum Tubular. Now available with Angle Adj. Flip E | Back. |
|--------|---|-------|
| 190AD1 | Adaptive Platform 2" Spacer | \$179 |
| 190AD2 | Adaptive Platform 4" Spacer | \$179 |
| 190AD3 | Adaptive Platform 6" Spacer | \$179 |

| | Footrest Options (see matrix below) | |
|---------|---|-------|
| 190DI08 | High Mount Ext Tubes (N/A w/ tubular footrest; N/A w/ 16" wide flared frame) ** | \$88 |
| 190DI03 | Leg Strap | \$60 |
| 190DI04 | Extra Leg Strap | \$82 |
| 190DI05 | Gel Hanger Cover | \$122 |
| 190DI07 | Neoprene Impact Guards | \$60 |
| 190DI02 | Wear Pads | \$47 |

SEAT SLING TO FOOTREST DISTANCE (based on 1" Seat Angle) *Seat to Footrest distances may be +/- 1" from data shown dep. on frame type. ** High mount can adj. full range to seat sling Note: Flip back may interfere with sling at highest settings.

| FSH Caster "Minimum "Maximum 14.5" 3" 10.4" 11.4" 14.5" 4" 9.4" 10.9" 15.0" 3" 11.4" 12.4" 15.0" 4" 10.4" 11.9" 15.0" 5" 9.4" 11.9" 15.0" 5" 9.4" 11.4" 15.5" 3" 11.4" 12.4" 15.5" 3" 11.4" 12.4" 15.5" 5" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4" 16.5" 6" 10.4" 12.9" <th></th> | |
|---|---|
| 14.5"4" $9.4"$ $10.9"$ 15.0"3" $11.4"$ $12.4"$ 15.0"4" $10.4"$ $11.9"$ 15.0"5" $9.4"$ $11.4"$ 15.5"3" $11.4"$ $12.4"$ 15.5"3" $11.4"$ $12.4"$ 15.5"5" $10.4"$ $11.9"$ 15.5"5" $10.4"$ $11.9"$ 15.5"6" $9.4"$ $11.9"$ 15.5"6" $9.4"$ $11.9"$ 16.0"3" $12.4"$ $13.4"$ 16.0"5" $10.4"$ $12.4"$ 16.0"6" $10.4"$ $12.9"$ 16.5"3" $12.4"$ $13.4"$ 16.5"5" $10.4"$ $12.9"$ 16.5"5" $10.4"$ $12.9"$ 16.5"5" $10.4"$ $12.9"$ 16.5"6" $10.4"$ $12.9"$ 16.5"6" $10.4"$ $12.9"$ 17.0"3" $13.4"$ $14.4"$ 17.0"5" $11.4"$ $13.9"$ 17.0"5" $11.4"$ $13.9"$ 17.5"3" $13.4"$ $14.4"$ 17.5"4" $12.4"$ $13.9"$ | • |
| 15.0"3"11.4"12.4"15.0"4"10.4"11.9"15.0"5" $9.4"$ 11.4"15.5"3"11.4"12.4"15.5"5"10.4"12.4"15.5"5"10.4"12.4"15.5"6" $9.4"$ 11.9"15.5"6" $9.4"$ 11.9"16.0"3"12.4"13.4"16.0"6"10.4"12.4"16.0"6"10.4"12.9"16.5"3"12.4"13.4"16.5"6"10.4"12.9"16.5"5"10.4"12.9"16.5"6"10.4"12.9"16.5"6"10.4"12.9"16.5"5"10.4"12.9"17.0"3"13.4"14.4"17.0"5"11.4"13.9"17.0"5"11.4"13.9"17.5"3"13.4"14.4"17.5"4"12.4"13.9"17.5"5"11.4"13.9"17.5"5"11.4"13.9" | |
| 15.0" 4" 10.4" 11.9" 15.0" 5" $9.4"$ $11.4"$ 15.5" 3" $11.4"$ $12.4"$ 15.5" 4" $10.4"$ $11.9"$ 15.5" 4" $10.4"$ $11.9"$ 15.5" 5" $10.4"$ $12.4"$ 15.5" 6" $9.4"$ $11.9"$ 15.5" 6" $9.4"$ $11.9"$ 15.5" 6" $9.4"$ $11.9"$ 16.0" 3" $12.4"$ $13.4"$ 16.0" 5" $10.4"$ $12.4"$ 16.0" 6" $10.4"$ $12.9"$ 16.5" 3" $12.4"$ $13.4"$ 16.5" 3" $12.4"$ $13.4"$ 16.5" 5" $10.4"$ $12.9"$ 16.5" 6" $10.4"$ $12.9"$ 16.5" 6" $10.4"$ $12.9"$ 17.0" 3" $13.4"$ $14.4"$ 17.0" | |
| 15.0° 5° 9.4° 11.4° 15.5° 3° 11.4° 12.4° 15.5° 4° 10.4° 11.9° 15.5° 5° 10.4° 12.4° 15.5° 6° 9.4° 12.4° 15.5° 6° 9.4° 12.4° 15.5° 6° 9.4° 12.4° 15.5° 6° 9.4° 12.4° 16.0° 3° 12.4° 13.9° 16.0° 5° 10.4° 12.9° 16.5° 3° 12.4° 13.4° 16.5° 5° 10.4° 12.9° 16.5° 5° 10.4° 12.9° 16.5° 5° 10.4° 12.9° 16.5° 5° 10.4° 12.9° 17.0° 3° 13.4° 14.4° 17.0° 5° 11.4° 13.9° 17.5° 3° 13.4° 14.4° 17.5° 4° 12.4° 13.9° 17.5° 5° 11.4° 13.9° 17.5° 5° 11.4° 13.4° | |
| 15.5° 3° 11.4° 12.4° 15.5° 4° 10.4° 11.9° 15.5° 5° 10.4° 12.4° 15.5° 6° 9.4° 12.4° 15.5° 6° 9.4° 11.9° 16.0° 3° 12.4° 13.4° 16.0° 4° 12.4° 13.4° 16.0° 5° 10.4° 12.9° 16.5° 3° 12.4° 13.4° 16.5° 3° 12.4° 13.4° 16.5° 3° 12.4° 13.4° 16.5° 3° 12.4° 12.9° 16.5° 5° 10.4° 12.9° 17.0° 3° 13.4° 14.4° 17.0° 5° 11.4° 13.9° 17.0° 5° 11.4° 13.9° <td>_</td> | _ |
| 15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 3" 12.4" 13.4" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4" 16.5" 5" 10.4" 12.4" 16.5" 6" 10.4" 12.4" 16.5" 6" 10.4" 12.9" 17.0" 3" 13.4" 14.4" 17.0" 5" 11.4" 13.9" 17.5" 3" 13.4" 14.4" | |
| 15.5° 5° 10.4° 12.4° 15.5° 6° 9.4° 11.9° 16.0° 3° 12.4° 13.4° 16.0° 4° 12.4° 13.9° 16.0° 5° 10.4° 12.4° 16.0° 6° 10.4° 12.9° 16.5° 3° 12.4° 13.4° 16.5° 3° 12.4° 13.4° 16.5° 4° 11.4° 12.9° 16.5° 5° 10.4° 12.4° 16.5° 6° 10.4° 12.9° 16.5° 6° 10.4° 12.9° 17.0° 3° 13.4° 14.4° 17.0° 5° 11.4° 13.9° 17.5° 3° 13.4° 14.4° 17.5° 3° 13.4° 14.4° 17.5° 3° 13.4° 14.4° 17.5° 5° 11.4° 13.9° 17.5° 5° 11.4° 13.9° 17.5° 5° 11.4° 13.4° | |
| 15.5° 6° 9.4° 11.9° 16.0° 3° 12.4° 13.4° 16.0° 4° 12.4° 13.9° 16.0° 5° 10.4° 12.4° 16.0° 6° 10.4° 12.9° 16.5° 3° 12.4° 13.4° 16.5° 3° 12.4° 13.4° 16.5° 5° 10.4° 12.9° 16.5° 5° 10.4° 12.9° 16.5° 6° 10.4° 12.9° 17.0° 3° 13.4° 14.4° 17.0° 5° 11.4° 13.9° 17.5° 3° 13.4° 14.4° 17.5° 4° 12.4° 13.9° 17.5° 3° 13.4° 14.4° 17.5° 3° 13.4° 14.4° 17.5° 5° 11.4° 13.9° 17.5° 5° 11.4° 13.9° 17.5° 5° 11.4° 13.4° | |
| 16.0° 3° 12.4° 13.4° 16.0° 4° 12.4° 13.9° 16.0° 5° 10.4° 12.4° 16.0° 6° 10.4° 12.9° 16.5° 3° 12.4° 13.4° 16.5° 3° 12.4° 13.4° 16.5° 5° 10.4° 12.9° 16.5° 5° 10.4° 12.9° 16.5° 6° 10.4° 12.9° 17.0° 3° 13.4° 14.4° 17.0° 5° 11.4° 13.9° 17.5° 3° 13.4° 14.4° 17.5° 4° 12.4° 13.9° 17.5° 3° 13.4° 14.4° 17.5° 4° 12.4° 13.9° 17.5° 5° 11.4° 13.9° 17.5° 5° 11.4° 13.4° | _ |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | |
| 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.9" 16.5" 5" 10.4" 12.9" 16.5" 6" 10.4" 12.9" 17.0" 3" 13.4" 14.4" 17.0" 4" 12.4" 13.9" 17.0" 5" 11.4" 13.9" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4" 16.5" 6" 10.4" 12.9" 17.0" 3" 13.4" 14.4" 17.0" 4" 12.4" 13.9" 17.0" 5" 11.4" 13.9" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 13.9" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4" 16.5" 6" 10.4" 12.9" 17.0" 3" 13.4" 14.4" 17.0" 4" 12.4" 13.9" 17.0" 5" 11.4" 13.9" 17.0" 6" 11.4" 13.9" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 13.9" 17.5" 5" 11.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 16.5" 5" 10.4" 12.4" 16.5" 6" 10.4" 12.9" 17.0" 3" 13.4" 14.4" 17.0" 4" 12.4" 13.9" 17.0" 5" 11.4" 13.9" 17.0" 6" 11.4" 13.9" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 5" 11.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 16.5" 6" 10.4" 12.9" 17.0" 3" 13.4" 14.4" 17.0" 4" 12.4" 13.9" 17.0" 5" 11.4" 13.4" 17.0" 5" 11.4" 13.9" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 17.0" 3" 13.4" 14.4" 17.0" 4" 12.4" 13.9" 17.0" 5" 11.4" 13.4" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 17.0" 4" 12.4" 13.9" 17.0" 5" 11.4" 13.4" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 3" 13.4" 14.4" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 17.0" 5" 11.4" 13.4" 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 17.0" 6" 11.4" 13.9" 17.5" 3" 13.4" 14.4" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 17.5" 3" 13.4" 14.4" 17.5" 4" 12.4" 13.9" 17.5" 5" 11.4" 13.4" | |
| 17.5 4 12.4 13.9 17.5 5 11.4 13.4 | |
| 17.5 4 12.4 13.9 17.5 5 11.4 13.4 | |
| 17.5 5 11.4 13.4 | |
| | |
| 17.5° 6° 11.4° 13.9° | |
| 18.0° 3° 14.4° 15.4° | |
| 18.0° 4° 13.4° 14.9° | |
| 18.0° 5° 12.4° 14.4° | |
| 18.0 6 11.4 13.9 | |
| 18.5° 3° 14.4° 15.4° | |
| 18.5° 4° 14.4° 15.9° | |
| 18.5° 5° 12.4° 14.4° | |
| 18.5 6 12.4 14.9 | |
| 19.0° 3° 14.4° 15.4° | |
| 19.0° 4° 14.4° 15.9° | |
| 19.0° 5° 12.4° 14.4° | |
| 19.0° 6° 12.4° 14.9° | |

| Rear Wheel Size | 3 " | Front Caster | □ 5" | □ 6" |
|-----------------|------------|--------------|---------|---------|
| | □ 14.0" | | | 1 |
| ŀ | | 14.0" | N/A | |
| | 14.5" | 14.5" | 14/7 (| N/A |
| | 15.0" | □ 15.0" | □ 15.0" | |
| | □ 15.5" | □ 15.5" | □ 15.5" | □ 15.5" |
| | 16.0" | □ 16.0" | □ 16.0" | □ 16.0" |
| 20" | □ 16.5" | □ 16.5" | □ 16.5" | □ 16.5" |
| ſ | □ 17.0" | □ 17.0" | □ 17.0" | □ 17.0" |
| ſ | □ 17.5" | □ 17.5" | □ 17.5" | □ 17.5" |
| ſ | 18.0" | □ 18.0" | □ 18.0" | □ 18.0" |
| ſ | 18.5" | □ 18.5" | □ 18.5" | □ 18.5" |
| | 19.0" | □ 19.0" | □ 19.0" | □ 19.0" |
| | □ 15.5" | □ 15.5" | □ 15.5" | □ 15.5" |
| | □ 16.0" | □ 16.0" | □ 16.0" | □ 16.0" |
| ſ | □ 16.5" | □ 16.5" | □ 16.5" | □ 16.5" |
| 20" | 17.0" | □ 17.0" | □ 17.0" | □ 17.0" |
| 22" | 17.5" | □ 17.5" | □ 17.5" | □ 17.5" |
| ſ | □ 18.0" | □ 18.0" | □ 18.0" | □ 18.0" |
| ľ | □ 18.5" | □ 18.5" | □ 18.5" | □ 18.5" |
| ľ | □ 19.0" | □ 19.0" | □ 19.0" | □ 19.0" |
| | □ 16.0" | □ 16.0" | □ 16.0" | □ 16.0" |
| | □ 16.5" | □ 16.5" | □ 16.5" | □ 16.5" |
| ľ | □ 17.0" | □ 17.0" | □ 17.0" | □ 17.0" |
| 24" | □ 17.5" | □ 17.5" | □ 17.5" | □ 17.5" |
| ľ | □ 18.0" | □ 18.0" | □ 18.0" | □ 18.0" |
| | 18.5" | □ 18.5" | □ 18.5" | □ 18.5" |
| | □ 19.0" | □ 19.0" | □ 19.0" | □ 19.0" |

Not Available with 1" Inset

11. CASTERS

| Caster Wheel | | | | | |
|--------------|---------|---|-------|--|--|
| | 190CW1 | 3" Micro | NC | | |
| | 190CW3 | 4" Low-Profile Polyurethane | NC | | |
| | 190CW31 | 4" Micro Light Up | \$108 | | |
| | 190CW64 | 4" x 1.5" Aluminum Soft Roll | \$108 | | |
| | 190CW5 | 5" Low-Profile Polyurethane | NC | | |
| | 190CW51 | 5" Micro Light Up | \$108 | | |
| | 190CW6 | 5" Soft Roll (Grey) (N/A with Frog Legs) | \$124 | | |

| | 190CW7 | 5"x1.5" Semi-Pneumatic | \$108 |
|---|--------------------|--|--------------|
| | 190CW66 | 5"x1.5" Aluminum Soft Roll | \$108 |
| | 190CW 34 | 6" Poly | NC |
| | 190CW35 | 6"x1.5" Semi-Pneumatic | \$108 |
| | | | ¢.00 |
| - | | Caster Forks and Suspension | \$100 |
| | 190CF65 | Caster Forks and Suspension Multiple Position | NC |
| | 190CF65 190CF69 | | |
| | | Multiple Position | NC |

12. AXLES AND WHEELS

| | Axle Plate | |
|---------|--|----|
| 190AL61 | Adjustable (COG Adjustable -0.25" through 2.25" in 0.25" increments) | NC |

| Center of Gravity Preset | | | | | |
|--------------------------------------|---------|---------------------------|----|--|--|
| Dependent on wheels, casters & depth | | | | | |
| | 190CC21 | -0.25" | NC | | |
| | 190CC26 | 0.00" (Flush w/ backrest) | NC | | |
| | 190CC22 | 0.25" | NC | | |
| | 190CC16 | 0.50" | NC | | |
| | 190CC23 | 0.75" | NC | | |
| | 190CC20 | 1.00" | NC | | |
| | 190CC24 | 1.25" | NC | | |
| | 190CC15 | 1.50" | NC | | |
| | 190CC25 | 1.75" | NC | | |
| | 190CC17 | 2.00" | NC | | |
| | 190CC27 | 2.25" | NC | | |

| Camber | | | | |
|--------|--|----|--|--|
| 190CI1 | 0° | NC | | |
| 190CI2 | 3° | NC | | |
| 190Cl4 | 6° (N/A with Std Mag, 5 spk MAG Wheels and Hub locks or Side guard Hub locks) | NC | | |

| Rear Seat Height | | | | |
|------------------------------|-----|----|----|--|
| Can not exceed 2.5" drop | | | | |
| 190RH13 | 14" | | NC | |
| 190RH14 | 14. | 5" | NC | |
| 190RH15 | 15" | | NC | |
| 190RH16 | 15. | 5" | NC | |
| 190RH17 | 16" | | NC | |
| 190RH18 | 16. | 5" | NC | |
| 190RH19 | 17" | | NC | |
| 190RH26 | 17. | 5" | NC | |
| 190RH20 | 18" | | NC | |
| 190RH27 | 18. | 5" | NC | |
| 190RH21 | 19" | | NC | |

| | | Rear Seat Height Minimum | | | | | | | | | |
|-----------------|--|--------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Rear Wheel | 14.0" | 14.5" | 15.0" | 15.5" | 16.0" | 16.5" | 17.0" | 17.5" | 18.0" | 18.5" | 19.0" |
| 20" | | | | | | | | | | | |
| 22" | | | | | | | | | | | |
| 24" | | | | | | | | | | | |
| * With 22" & 24 | * With 22" & 24" rear wheels and KIK or HP Clinchers, you may get an additional 1/2" | | | | | | | | | | |

lower seat height in some scenarios.

| Rear Wheels | | | | | |
|-------------|---------------------------------------|---------|--|--|--|
| 190RW3 | 20" Mag | NC | | | |
| 190RW8 | 22" Mag | NC | | | |
| 190RW1 | 24" Mag | NC | | | |
| 190RW103 | 20" Mag Wheel 5 Spoke | NC | | | |
| 190RW104 | 22" Mag Wheel 5 Spoke | NC | | | |
| 190RW102 | 24" Mag Wheel 5 Spoke | NC | | | |
| 190RW74 | 20" Lite Spoke Wheel | NC | | | |
| 190RW75 | 22" Lite Spoke Wheel | NC | | | |
| 190RW76 | 24" Lite Spoke Wheel | NC | | | |
| 190RW06 | 22" Ultra lightweight Spoke Wheel 2.0 | \$352 | | | |
| 190RW10 | 24" Ultra Lightweight Spoke Wheel 2.0 | \$352 | | | |
| 190RW28 | 22" Spinergy SPOX Black Spokes | \$851 | | | |
| 190RW95 | 24" Spinergy SPOX Black Spokes | \$851 | | | |
| 190RW32 | 22" Spinergy LX Black Spokes | \$1,095 | | | |
| 190RW98 | 24" Spinergy LX Black Spokes | \$1,095 | | | |

| | Rear Wheel Tire | |
|---------|----------------------------------|-------|
| 190RT3 | Full Poly Tire | NC |
| 190RT6 | High Pressure Clincher | \$103 |
| 190RT38 | SHOX Performance Poly | \$144 |
| 190RT27 | Knobby V-TRAK by Kenda | \$119 |
| 190RT1 | Pneumatic | NC |
| 190RT2 | Pneumatic Airless Insert | \$243 |
| 190RT21 | Schwalbe Marathon Plus Evolution | \$155 |
| 190RT28 | Schwalbe Speed | \$160 |
| 190RT4 | Low Poly | NC |

| Wheel | 5 Spoke Mag | Mag | Lite Spoke | Ultra Light- w eight | Spinergy |
|--------------------------|----------------|-------------|---------------|----------------------------|----------|
| Full Poly Tire | 20",22",24" | 20",22",24" | 20",22" | N/A | N/A |
| High Pressure Clincher | N/A | N/A | 22",24" | 24" | 22",24" |
| SHOX Performance Poly | 20",22",24" | 24" | 24" | | 24" |
| Knobby V-TRAK | N/A | N/A | 24" | N/A | 24" |
| Pneumatic | 20",22",24" | 20",22",24" | 20",22",24" | nva | 22",24" |
| Pneumatic Airless Insert | 20",22",24" | 20",22",24" | 20",22",24" | | 22",24" |
| Schwalbe Marathon Plus | N/A | N/A | 24" | 22",24" | 22",24" |
| Schw albe Speed Run | N/A | N/A | 24" | 24" | 22",24" |
| Low Poly | 24" | 20",22",24" | 20",22",24" | N/A | N/A |
| | 22" = 4 | 89 mm 24 | " = 540 mm | | |

| 22" Roa | r Wheels w/ 5" Casters & 3° or 6° of Camber 0" Frame Inset |
|----------------|--|
| 22 1160 | Not available in 12" or less seat depths |
| 13" Seat Depth | Must have front seat to floor height at least 17" in the front and 15-1/2" in the rear. You can increase STFs but must keep 1-1/2" dump. If you change camber to 0° you can get away with 1" dump You must choose COG setting of -1/4". |
| 14" Seat Depth | Able to get away with 1" seat dump with a minimum of 15-1/2" in the Rear and 16-1/2" in Front. Can have COG set as far forward as +1/4". |
| 15" Seat Depth | Able to get away with 1" seat dump with min of 15" Rear STF and 16" Front STF COG can be adjusted as far forward as 1". |
| 22" Rear | Wheels w/ 4" Casters, 3° or 6° of Camber, and 0" Frame Inset |
| | Not available in 8" or 9" seat depths. |
| 10" Seat Depth | Must have at least a 15" Rear STF and 16" Front STF. COG setting must be -1/4". If you increase Rear STF to 15-1/2" and 16-1/2" Front STF you can move COG to 0". If you increase the dump to 1 1/2" (15 R-STF and 16 1/2" F-STF) or change Camber to 0 degress you can increase COG to 1/4". |
| 11" Seat Depth | Same as 10" Seat Depth, just allows you to have COG setting a 1/4" |
| 12" Seat Depth | Must have at least 15" Rear STF and 15-1/2" Front STF. COG setting can be as far forward at 1/2". If you increase the dump to 1" instead of 1/2" you can increase COG as far forward as 1". |
| 24" Rea | r Wheels w/ 4" Casters, 3° or 6° Camber, and 0" Frame Inset |
| 11" Seat Depth | Not available in 10" seat depths or less. Must have at least a 16" Rear STF and 17" Front STF. COG setting can be 0" or -1/4". |
| 12" Seat Depth | Must have at least 16" Rear STF and 17" Front STF. COG setting can be as far forward as 1". (Camber must be 3 degrees) If camber is 6" than COG can only be as far forward as 3/4" |

| | | Only available with Lite Spokes; N/A with 6° camber | |
|---|---------|---|-------|
| | 190LK03 | Seat Frame Mount | \$155 |
| _ | | (Side Guard - See Below) | |
| - | | | |
| | | Side Guard (N/A with Ht. Adj. Armrest or T-Post) | |
| | | Side Guard (IVA with ht: Auj: Anniest of 1-Post) | |
| | 190SG33 | Plastic Standard (N/A 8"-9" depth; N/A w/ low padded swing aways.) | \$185 |
| | 190SG29 | Plastic Low (N/A 8"-9" depth; N/A w/ Padded Swing Aways low setting 5&6) | \$185 |
| | 190SG7 | Aluminum Folding | \$422 |

Hub Lock

| | | Aluminum Side Guard Color Option | |
|----|---------|---|---------------|
| | | Only available with Aluminum Side Guard | |
| | 190GE01 | Black | NC |
| | 190GE02 | Matching Frame - Std. Colors | NC |
| | 190GE03 | Matching Frame - Personalized Color | \$72 |
| | | | |
| | | Anti-Tip | |
| п | 190AT1 | Rear Anti-Tips | \$119 |
| | | (N/A w/ Dynamic Center Rear Caster) | • •••• |
| | | | |
| | | Dynamic Center Rear Caster | |
| | 1908A20 | Dynamic Center Rear Caster | \$343 |
| - | | (N/A w/ Rear Anti-Tips) | |
| | | | |
| | | Wheel Lock | |
| | 190WL1 | High Mount Push | NC |
| | 190WL2 | High Mount Pull | NC |
| | 190WL30 | Compact | \$160 |
| Π. | 190WL10 | Omit Wheel Lock | NC |

| Extension Handle | | | |
|------------------|--------|---------|------|
| | 190EH1 | 6" Pair | \$72 |
| - | | | |

| Handrim | | | | |
|---------|--|---|-------|--|
| | 190HR1 Aluminum Anodized | | NC | |
| | 190HR4 | Plastic Coated (N/A on Ultra) | \$144 | |
| | 190HR22 | Natural Fit -Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG) | \$368 | |
| | 190HR23 | Natural Fit - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG) | \$428 | |
| | 190HR30 | 0HR30 Natural Fit LT - Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG) | | |
| | 190HR31 | Natural Fit LT - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG) | | |
| | 190HR24 | Spinergy Flex Rim (Only on 24" Spinergy LX) | \$691 | |
| | 190HR7 Omit Handrim (Only on Mag, 24 Spinergy) | | NC | |
| | | Axle | | |
| | 190AX1 | Quick Release Steel | NC | |

13. ACCESSORIES

| Back Pack (Kids Backpack included) | | | | |
|------------------------------------|-------|--------------------------------|-------|--|
| | 190A1 | Utility Backpack - Black | \$110 | |
| | 190A2 | Additional Kids Black Backpack | \$103 | |
| | 190A8 | Black Seat Pouch | \$82 | |

| Miscellaneous | | | | | |
|---------------|------------------------------|----------------------------------|-------|--|--|
| | 190A203 | Crutch Holder | \$113 | | |
| | 190A83 | Tool Kit | \$42 | | |
| | | | | | |
| | Positioning Belt (w/ clamps) | | | | |
| | 190A112 | 1" Dual Pull Side Squeeze Padded | \$130 | | |
| | 190A117 | Belt 2" Aircraft Buckle | \$137 | | |
| | 190A118 | Belt 2" Aircraft Buckle Padded | \$201 | | |
| | 190A141 | Belt 1.5" Auto Buckle w/ clamps | \$96 | | |
| | 190A814 | 1" Comfort Fit APB5116 | \$144 | | |
| | 190A120 | Positioning Belt Side Clamp | \$60 | | |

| | | Spoke Guard | |
|-----------|---------------------|---|-------|
| Not a | vailable with 5 spo | oke MAG wheels | |
| | 190A23 | Black | \$155 |
| □ 190A303 | | Spoke Guards Clear Zippie (N/A with Spinergy) | \$155 |
| | | Upper Extremity Support Tray | |
| | | | |
| | 190A29 | X-Sm (Suggested 10"-12" Width) | \$375 |
| | 190A30 | Sm (Suggested 13"-14" Width) | \$375 |
| | 190A31 | Med (Suggested 15"-17" Width) | \$375 |
| | 190A32 | Lrg (Suggested 18"-20" Width) | \$375 |
| | | | |
| | | Canopy | |
| | 1908A06 | Canopy (Sunshade) 10" - 17" | \$275 |
| | 1908A07 | Canopy (Sunshade) 18" - 20" | \$275 |

14. FRAME COLOR

| Standard Colors | | | |
|-----------------|---------|--------------------|----|
| | 190C211 | Celestial Sapphire | NC |
| | 190C212 | Desert Sage | NC |
| | 190C213 | Desert Tan | NC |
| | 190C214 | Gloss Black | NC |
| | 190C215 | Matte Black | NC |
| | 190C216 | Metallic Shadow | NC |
| | 190C217 | Midnight Blue | NC |
| | 190C218 | Mystic Purple | NC |
| | 190C219 | Petal Pink | NC |
| | 190C220 | Pink Power | NC |
| | 190C221 | Red Pepper | NC |
| | 190C222 | Royal Blue | NC |
| | 190C223 | Salute Green | NC |
| | 190C224 | Scarlet Noir | NC |
| | 190C225 | Silver Ore | NC |
| | 190C226 | Solar Orange | NC |
| | 190C227 | Starlight White | NC |
| | 190C228 | Storm Gray | NC |
| | 190C229 | Turbo Green | NC |
| | 190C230 | Velocity Yellow | NC |

| Personalized Colors | | | | |
|---------------------|---|-------|--|--|
| 190C43 | Mossy Oak Camouflage | \$363 | | |
| 190C42 | Stars and Stripes | \$363 | | |
| 190C108 | Zebra (Choose base color. N/A w/ Gloss Black or Matte Black) | \$363 | | |

| Anodized Color Package | | | | | |
|------------------------|---|---------|-------|--|--|
| | Forks, Backrest Bracket, Rear Axle Sleeve; If Frog Legs are chosen, forks will be black | | | | |
| | 190EB07 | Black | NC | | |
| | 190EB08 | Blue | \$209 | | |
| | 190EB13 | Gold | \$209 | | |
| | 190EB09 | Green | \$209 | | |
| | 190EB11 | Red | \$209 | | |
| | 190EB12 | Ti Grey | \$209 | | |

Additional Options Through Built-4-Me

To inquire about any unique personalization for Quickie products, contact: Phone: (800) 263-3390, email cscanada@sunmed.com

Commonly Requested Options Include:

- ✓ Aluminum Seat Pan
- \checkmark Swing Away Knee Aductor
- ✓ Height Adjustable Stroller Handle
- Removable Stroller Handle ✓
- ✓ Personalized Paint and Anodizing





1000 Creditstone Road, Unit 2 Concord, ON., Canada, L4K 4P8

Customer Service: 800-263-3390 Email: cscanada@sunmed.com Web: www.sunrisemedical.ca © 2/2024 MK-100015-CAN REV 8