Quickie 2 - AADL W137B

October 2024

EIQ2X

Mark For:

Date:
Dealer Acct #:
Dealer:
Dealer Contact:
Dealer Address:
Dealer City: PV: PC:
Dealer Phone: ( ) Fax: ( )
Confirmation Email:
Confirm Via: ☐ Fax ☐ Email

Submitting for: ☐ Quote ☐ Order

PO#:

ADDITIONAL SHIPPING INFORMATION

Ship To:
Attention:
Address:
Address:
Ship To City: PV: PC:
Ship To Phone: ( ) Fax: ( )

1. FRAME

Base model

✔	Option #		Definition	Price
☐	002WM32		Quickie 2	$3,035.00
☐	002WM109		Quickie 2 - Transit included	$3,035.00

Transit Option

N/A on Stroller Handles (Removable Push Handles) or Xtender

✔	Option #		Definition	Price
☐	002TO46		Transit System WC19 Occupied	NC

Frame Style

✔	Option #		Definition	Price
☐	002FS31		Standard Swing Away	NC
☐	002FS30		Hemi Swing Away	NC

Rear Frame Type (300 lbs. Weight Capacity)

✔	Option #		Definition	Price
☐	002RS1		Rear Side Frame Straight	NC
☐	002RS2		Rear Side Frame Rounded	NC
☐	002RS3		Depth Adjustable Back (DAB) *3.0" of rearward adjustment.* *N/A w/ swing-away or flip-back armrest.*	$363.00

Heavy Duty Package

✔	Option #		Definition	Price
☐	002HV1		Heavy Duty (18"-24" Wide only) (350 lbs. weight capacity). Includes Reinforced Back Upholstery & Stabilizer Bar.	$1,243.00

2. SIZE / SEATING

Frame Width

✔	Option #		Definition	Price
☐	002W3		12"	NC
☐	002W4		13"	NC
☐	002W5		14"	NC
☐	002W6		15"	NC
☐	002W7		16"	NC
☐	002W8		17"	NC
☐	002W9		18"	NC
☐	002W10		19"	NC
☐	002W11		20"	$303.00
☐	002W12		21" *(Only Avail. w/ Heavy Duty)*	$303.00
☐	002W13		22" *(Only Avail. w/ Heavy Duty)*	$303.00
☐	002W57		B4ME - 23" Width *(Heavy Duty)*	$303.00
☐	002W58		B4ME - 24" Width *(Heavy Duty)*	$303.00

Seat Depth

12" seat depth not available with Hemi frame

✔	Option #		Definition	Price
☐	002SD5		12"	NC
☐	002SD6		13"	NC
☐	002SD7		14"	NC
☐	002SD8		15"	NC
☐	002SD9		16"	NC
☐	002SD10		17"	NC
☐	002SD11		18"	NC
☐	002SD72		19"	$303.00
☐	002SD13		20"	$303.00
☐	002SD105		B4ME - 21" Depth	$303.00
☐	002SD106		B4ME - 22" Depth	$303.00
☐	002SD107		B4ME - 21" Depth *(Heavy Duty)*	$303.00
☐	002SD108		B4ME - 22" Depth *(Heavy Duty)*	$303.00

Frame Depth

Seat Depth can be ordered up to 3" smaller for growth.Std frame available with 13"-22" frame Depth & HD frame available with 16"-22" frame Depth. Hemi available with 16"-18" & 20"-22" frame depth. Please refer to matrix in page 8 of Appendix for frame Depth Vs seat Depth matrix. Growth is achieved to the front of the depth.

✔	Option #		Definition	Price
☐	002FD4		13"	NC
☐	002FD5		14"	NC
☐	002FD6		15"	NC
☐	002FD7		16"	NC
☐	002FD8		17"	NC
☐	002FD9		18"	NC
☐	002FD10		19" *Steel reinforced*	NC
☐	002FD36		20" *Steel reinforced*	NC
☐	002FD51		B4ME - 21" Frame Depth	$303.00
☐	002FD52		B4ME - 22" Frame Depth	$303.00

 © 2024 Sunrise Medical Canada Inc.

✔	Option #		Definition	Price	✔	Option #		Definition	Price

2. SIZE / SEATING (CONT)

Seat Sling

☐	002SL1		Standard Seat Sling	NC
☐	002SL6		Omit Seat Sling	NC

JAY Cushions (Optional)

To order any JAY cushions on-chair, please see the JAY price list.

Cushion name or part number must be filled out with desired width and depth

☐	002JC20	Cushion Name or Part # Width: Depth:	Price List

3. CASTERS / SEAT HEIGHT

Front Seat Height

Please see matrix on Page 9 for additional information. 13.5"-14" Hemi only

21.5"-22" not available in Hemi Frame

☐	002SH40	13.5"	NC	☐	002SH18	18.0"	NC
☐	002SH41	14.0"	NC	☐	002SH20	18.5"	NC
☐	002SH42	14.5"	NC	☐	002SH21	19.0"	NC
☐	002SH12	15.0"	NC	☐	002SH23	19.5"	NC
☐	002SH13	15.5"	NC	☐	002SH24	20.0"	NC
☐	002SH14	16.0"	NC	☐	002SH26	20.5"	NC
☐	002SH15	16.5"	NC	☐	002SH27	21.0"	NC
☐	002SH16	17.0"	NC	☐	002SH29	21.5"	NC
☐	002SH17	17.5"	NC	☐	002SH36	22.0"	NC

Caster Wheels

See matrix on page 9.

☐	002CW1		3" Micro	NC
☐	002CW3		4" Low Profile Polyurethane *N/A w/ HD package*	NC
☐	002CW31		4" Micro Lighted	$108.00
☐	002CW72		4" x 1" Aluminum Polyurethane	$72.00
☐	002CW44		4" x 1.25" Semi Pneumatic	NC
☐	002CW64		4" x 1.5" Aluminum Soft Roll	$108.00
☐	002CW5		5" Low Profile Polyurethane	NC
☐	002CW51		5" Micro Lighted	$108.00
☐	002CW6		5" Soft Roll (Grey) *N/A w/ Frog Legs*	$97.00
☐	002CW65		5" x 1" Aluminum Polyurethane	$124.00
☐	002CW7		5" x 1.5" Semi-Pneumatic	$108.00
☐	002CW66		5" x 1.5" Aluminum Soft Roll	NC
☐	002CW34		6" Polyurethane	NC
☐	002CW33		6" Pneumatic	$108.00
☐	002CW35		6" x 1.5" Semi Pneumatic	$108.00
☐	002CW68		6" x 1.5" Aluminum Soft Roll	NC
☐	002CW16		7" Polyurethane	NC
☐	002CW32		8" Polyurethane	NC
☐	002CW21		8" Pneumatic	$144.00
☐	002CW39		8" x 1.5" Semi Pneumatic	$144.00
☐	002CW36		8" x 2" Pneumatic	$243.00
☐	002CW37		8" x 2" Pneumatic w/Airless Insert	$387.00

Caster Housing

Integral bearing forks only available with Integral caster housing

☐	002CP2		Standard	NC
☐	002CP14		Integral Caster Housing *N/A with caster Pin locks*	$108.00

Caster Fork

Please see matrix on Page 9 for additional information. Frog Legs not available with Integral caster housing

☐	002CF46		Multi Position Fork-Short	NC
☐	002CF47		Multi Position Fork- Tall	NC
☐	002CF62		3" Fork	NC
☐	002CF12		5 1/4" Fork	NC
☐	002CF17		6 " Fork	NC
☐	002CF23		7" Fork	NC
☐	002CF29		8" x 2" Fork	NC
☐	002CF65		Multiple Position *Integral caster housing only*	NC
☐	002CF69		Multiple Position Single Sided Fork *Integral caster housing only*	$173.00
☐	002CF53		Frog Legs Suspension *(0-100 lbs)*	$566.00
☐	002CF54		Frog Legs Suspension *(101-190 lbs)*	$566.00
☐	002CF55		Frog Legs Suspension *(191-265 lbs)*	$566.00

Caster Options

☐	002OC1		Caster Pin Locks *(N/A w/8"x2")* *NA w/ Xtender, Frog Legs or Transit*	$209.00





Specifications are subject to change without notice. © 2024 Sunrise Medical Canada Inc. MK-100403-CAN Rev (15)

✔	Option #	Definition	Price

4. REAR WHEELS / SEAT HEIGHT

Rear Seat Height

☐	002RH11	13.0"	NC	☐	002RH26	17.5"	NC
☐	002RH12	13.5"	NC	☐	002RH20	18.0"	NC
☐	002RH13	14.0"	NC	☐	002RH27	18.5"	NC
☐	002RH14	14.5"	NC	☐	002RH21	19.0"	NC
☐	002RH15	15.0"	NC	☐	002RH37	19.5"	NC
☐	002RH16	15.5"	NC	☐	002RH22	20.0"	NC
☐	002RH17	16.0"	NC	☐	002RH38	20.5"	NC
☐	002RH18	16.5"	NC	☐	002RH23	21.0"	NC
☐	002RH19	17.0"	NC	☐	002RH39	21.5"	NC
				☐	002RH40	22.0"	NC

Axle Plate

☐	002AL102		Standard Adjustable (All in-one)	NC
☐	002AL6		Amputee Adjustable *N/A w/ Padded Armrest*	$144.00

Axle

☐	002AX1		Quick Release Steel	NC
☐	002AX11		Quad Quick Release *5 Spoke Mag & Mountain Wheel only*	$179.00

One Arm Drive

N/A w/ Xtender, 12", 23" & 24" wide, amputee axle plates, and small tray table. N/A w/ combination of Padded SA arms and Anti tips. Only available w/ 20", 22", 24" mag wheels. ***Max weight capacity of 300 lbs. Only available in 6 spoke Mags***

☐	002AL16			One Arm Drive Adj. Axle Plate				$1,362.00
		☐	002OA1	Small Handrim (N/A w/ 20" wheels) ☐ RH position ☐ LH position				NC
		☐	002OA2	Standard Handrim ☐ RH position ☐ LH position				NC
Select Wheel Size:		☐	20"	☐	22"	☐	24"	

Xtender Power Assist

RSH of 14.5"-20" for 22" rear wheels and RSH 15.5"-21" for 24" wheels. Front seat height must be greater than rear. N/A w/ Transit Option ***Max weight capacity of 265 lbs.*** *Available 12"-22" widths.*

Xtender Power Assist

☐	002XT6		22" Xtender Power Assist JWX-2 **NICKEL**	$9,848.00
☐	002XT7		22" Xtender Power Assist JWX-2 **LITHIUM**	$11,433.00
☐	002XT4		24" Xtender Power Assist JWX-2 **NICKEL**	$9,848.00
☐	002XT5		24" Xtender Power Assist JWX-2 **LITHIUM**	$11,433.00

Please select one of the following handrim options

☐	002XH5		Plastic Coated	NC
☐	002XH6		Stainless Steel	NC

Xtender - Other Options

☐	002XA10		Spare NiMH Power Pack - NICKEL	$1,897.00
☐	002XA11		Spare Li-ion Power Pack - LITHIUM	$2,442.00

Xtender Wheel Options

☐	002XA8		SPARE 22" Lite Spoke Pneu Alum	NC
☐	002XA9		SPARE 22" Lite Spoke Pneu Plastic	$142.00
☐	002XA2		SPARE 24" Lite Spoke Pneu Alum	NC
☐	002XA4		SPARE 24" Lite Spoke Pneu Plastic	$142.00

Rear Wheel Type

Not applicable w/ Xtender Power Assist Option. Ultra Lightweight Wheels only available w/ Alum Anodized Handrim. Handrims cannot be omitted on Lite Spoke Wheels. Omit Rear wheel will default chair configuration set up to a 24" wheel*

☐	002RW103		20" Mag Wheel 5 Spoke	NC
☐	002RW104		22" Mag Wheel 5 Spoke	NC
☐	002RW102		24" Mag Wheel 5 Spoke	NC
☐	002RW90		20" Lite Spoke Wheel	$315.00
☐	002RW91		22" Lite Spoke Wheel	$315.00
☐	002RW92		24" Lite Spoke Wheel	NC
☐	002RW93		25" Lite Spoke Wheel	NC
☐	002RW94		26" Lite Spoke Wheel	$124.00
☐	002RW77		22" Ultra Lightweight Spoke Wheel	$352.00
☐	002RW78		24" Ultra Lightweight Spoke Wheel	$352.00
☐	002RW28		22" Spinergy SPOX Black	$851.00
☐	002RW95		24" Spinergy SPOX Black	$851.00
☐	002RW96		25" Spinergy SPOX Black	$851.00
☐	002RW97		26" Spinergy SPOX Black	$851.00
☐	002RW32		22" Spinergy LX Black	$1,095.00
☐	002RW98		24" Spinergy LX Black	$1,095.00
☐	002RW99		25" Spinergy LX Black	$1,095.00
☐	002RW40		26" Spinergy LX Black	$1,095.00
☐	002RW50		24" Mountain	$387.00
☐	002RW25		Omit Rear Wheel and Axle *	NC
☐	002RW49		Omit Rear Wheel (Use w/24" Xtender)	NC
☐	002RW111		Omit Rear Wheel (Use w/22" Xtender)	NC

Rear Wheel Tire

☐	002RT1		Pneumatic	NC
☐	002RT2		Pneumatic Airless Insert *N/A with Xtender.*	$243.00
☐	002RT24		Pneumatic Airless Insert - Infinergy® Lightweight - *E-TPU material*	$243.00
☐	002RT3		Full Poly	NC
☐	002RT38		SHOX Performance Poly	$144.00
☐	002RT25		Primo Orion Poly	$267.00
☐	002RT39		High-Pressure Clincher Black	$103.00
☐	002RT27		Knobby V-TRAK	$119.00
☐	002RT21		Schwalbe Marathon Plus Evolution	$155.00
☐	002RT12		Mountain Tire *Only available on 24" Mountain Rear Wheel*	NC

4. REAR WHEELS / SEAT HEIGHT (CONT)

Rear Seat Height Availability Matrices

*Rear tire, side frame, and axle plate selections dictate seat height availability. *Not all combinations are possible within acceptable seat height ranges*

Rear Tire	Min RSH	Max RSH
20" Pneumatic, Poly	13"	19.0"
22" Pneumatic, Poly	14.0"	20.0"
22" HP Clincher Blk	13.5"	19.5"
22" Schwalbe	13.5"	19.5"
24" Pneumatic, Poly	15"	21.0"
24" HP Clincher Blk	14.5"	20.5"
24" Knobby	15"	21.0"
24" Schwalbe	14.5"	20.5"
24" SHOX Poly	14.5"	20.5"
24" Mountain	15.0"	21.0"
25" HP Clincher Blk	15.0"	21.0"
25" Schwalbe	15.0"	21.0"
25" SHOX Poly	14.5"	20.5"
26" Pneumatic	16.0"	22.0"
26" HP Clincher Blk	15.5"	21.5"
26" Schwalbe	15.5"	21.5"

Rear Side Frame	Min RSH	Max RSH
Curved	13"	21.0"
Straight	13	22.0"
DAB	13	22.0"

Axle Plate	Min RSH	Max RSH
Std Adj *(All in one)*	13"	22.0"
Amputee	14"	22.0"



Wheel / Tire	5 Spoke Mag	Mag	Lite Spoke	Ultra Lt wt	Spinergy
Pneumatic	20,22,24	20,22,24	20,22,24,26		24,26
Pneumatic w/Airless Insert	20,22,24	20,22,24	20,22,24,26		24,26
Full Poly Tire	20,22,24	20,22,24	20,22,24		
High Pressure Clinch Blk			22,24,26	22,24	22,24,26
Knobby V-TRAK			24		24
Schwalbe Marathon			24,25,26	22,24	24,25,26
SHOX Perform. Poly	20,22,24		24,25		24,25
20"= 451 mm 22" = 501 mm 24" = 540 mm 25" = 559 26" = 590					

Handrim

Natural Fits available in 22", 24", and 25". Handrim selection N/A w/ Xtender. Ultra lightweight wheels only available w/ alum anodized handrim. Plastic coated limited to certain rims and sizes. Natural Fit w/ 5 spoke MAG only available in 24"

☐	002HR1		Aluminum Anodized	NC
☐	002HR4		Plastic Coated - *N/A on every rim*	$144.00
☐	002HR22		Natural Fit - Standard Grip	$368.00
☐	002HR25		Natural Fit - No Thumb Grip	$368.00
☐	002HR23		Natural Fit - Super Grip	$428.00
☐	002HR30		Natural Fit LT- Standard Grip	$513.00
☐	002HR31		Natural Fit LT- Super Grip	$583.00
☐	002HR32		Natural Fit LT - No Thumb Grip	$549.00
☐	002HR26		The Surge - Oval w/Gription Strip	$549.00
☐	002HR27		The Surge LT - Oval w/Gription Strip	$583.00
☐	002HR28		Q-Grip Neoprene Coated	$464.00
☐	002HR24		Spinergy Flex Rim *Available on 24" & 25" Spinergy LX wheel*	$691.00
☐	002HR7		Omit Handrim *Option may not be available on all wheels*	NC
☐	002HR8		8 Oblique *N/A w/ Xtender. Only available with 24" or 26" 6 spokeMag or Lite Spoke rims.*	$144.00

Camber

☐	002CI1		0°	NC
☐	00217CI		2° *(default)*	NC
☐	002CI3		4°	NC

Center of Gravity Preset

Amputee Axle Plate will come preset at 1.0" Center of Gravity (CG), range of adjustment is -3.0" to -1.75" and 1.0" to 3.5" CG.

☐	002CC2		1.0" *(default)*	NC
☐	002CC3		1.5"	NC
☐	002CC4		2.0"	NC
☐	002CC5		2.5"	NC
☐	002CC6		3.0"	NC
☐	002CC7		3.5"	NC

One Arm Drive CG

☐	002CC30		1AD Forward position	NC
☐	002CC31		1AD Reward position	NC
☐	002CC32		1AD Center position	NC

5. WHEEL LOCKS

Wheel Lock

Ergo & compact N/A w/ 13"-14" frame depth or amputee axle plate. Additional No Gos may exist depending on wheel size and position

☐	002WL46		High Mount Push	NC
☐	002WL50		High Mount Pull	NC
☐	002WL75		Ergo Scissor	$155.00
☐	002WL64		Compact	$160.00
☐	002WL24		Unilateral Wheel Lock Right	$315.00
☐	002WL23		Unilateral Wheel Lock Left	$315.00
☐	002WL10		Omit	NC

Wheel Lock Option

☐	002WL12		Do Not Mount	NC

Extension Handle

N/A w/ ergo scissor or compact wheel locks

☐	002EH7		Extension Handle (Pair)	$72.00

Grade Aid

Only available w/ high mount push or pull to lock wheel locks on pneumatic or pneumatic w/ airless tire options

☐	002GA1		Grade Aid	$155.00

Specifications are subject to change without notice. © 2024 Sunrise Medical Canada Inc.

✔	Option #	Definition	Price

6. HANGER & FOOTREST

Hangers

Front mount hangers only available w/ aluminum angle adj footplates.
ALR/ELR Hangers N/A w/ Push To Lock wheel locks.

✔	Option #		Definition	Price
☐	002H145		60° Swing In/Out Hanger	NC
☐	002H139		70° Swing In/Out Hanger	NC
☐	002H141		80° Swing In/Out Hanger	NC
☐	002H154		60° Swing In/Out Hanger Hemi	NC
☐	002H155		70° Swing In/Out Hanger Hemi	NC
☐	002H140		70° Swing In/Out Front Mount	NC
☐	002H142		80° Swing In/Out Front Mount	NC
☐	002H158		90° Swing In/Out Front Mount	NC
☐	002H159		Articulating Hanger - Ext Mount *N/A w/ Platform Flip Up and Alum Angle Adj Front Mount footplates, 14"-22" width*	$518.00
☐	002H160		Elevating Hanger - Ext Mount *N/A w/ Platform Flip Up and Alum Angle Adj Front Mount footplates, 14"-22" width*	$334.00
☐	002H161		Elevating Hanger - Front Mount *Only available w/ front mount alum angle adj footplates and 14"-22" width*	$334.00
☐	002H32		Omit Hanger & Footplate	NC

Articulating / Elevating Hanger Cover

✔	Option #		Definition	Price
☐	002DI47		Neoprene Cover	$320.00
☐	002DI48		Gel Pad Cover	$374.00

Footplates

Heel loop or leg strap not included, See Footplate Options Section

✔	Option #		Definition	Price
☐	002F1		Composite *(13"-22"w)*	NC
☐	002F271		Composite Angle Adj-*(16"-22"w)*	$173.00
☐	002F3		Alum Angle Adj - Ext Mt *(12"-22"w)*	$173.00
☐	002F8		Alum Angle Adj - Front Mt*(12"-22"w)*	$173.00
☐	002F5		Alum Footplate - Fixed *(14"-22"w)* *Available w/ Ext Mount ELR or ALR*	NC
☐	002F48		Platform Flip Up Angle Adj *(12"-22"w)* *N/A w/ Hemi Hangers,ELR/ALR,Front Mnt*	$227.00
☐	002F7		Omit Footplate & Ext Tube	NC

Footplate Options (Ext Tube & Front Mount)

✔	Option #		Definition	Price
☐	002HL1		Heel Loop	NC
☐	002HL5		Leg Strap	NC

Footrest Extension Tubes

Required w/ extension tube mounted hangers. See leg length matrix

✔	Option #		Definition	Price
☐	002E61		Short Hemi	NC
☐	002E1		Short	NC
☐	002E2		Medium	NC
☐	002E5		Long	NC
☐	002E16		High Mount *N/A w/ one-arm drive option or ELR/ALR or 90° front mount. Only available w/angle adj footplates*	$96.00
☐	002E23		2" - Front Mount Only *N/A w/ 6", 7" or 8" casters with 90° hangers, or ELR's*	$52.00
☐	002E24		4" - Front Mount Only *N/A w/6", 7" or 8" casters w/ 90° hangers or ELR/ALR*	$52.00

Lower Leg Length Setting (Extension Mount Only)

Recommend 2" less than FSTFH. (*)denotes frame, 9" & 9.5" Hemi Only

✔	Option #		Definition	Price	✔	Option #		Definition	Price
☐	002LO01		9.0"(*)	NC	☐	002LO13		15.0"	NC
☐	002LO02		9.5"(*)	NC	☐	002LO14		15.5"	NC
☐	002LO03		10.0"	NC	☐	002LO15		16.0"	NC
☐	002LO04		10.5"	NC	☐	002LO16		16.5"	NC
☐	002LO05		11.0"	NC	☐	002LO17		17.0"	NC
☐	002LO06		11.5"	NC	☐	002LO18		17.5"	NC
☐	002LO07		12.0"	NC	☐	002LO19		18.0"	NC
☐	002LO08		12.5"	NC	☐	002LO20		18.5"	NC
☐	002LO09		13.0"	NC	☐	002LO21		19.0"	NC
☐	002LO10		13.5"	NC	☐	002LO22		19.5"	NC
☐	002LO11		14.0"	NC	☐	002LO23		20.0"	NC
☐	002LO12		14.5"	NC	☐	002LO24		20.5" *Std. Only*	NC

Z-finity Hangers/Footrest System

(Maximum weight capacity for Z-Finity footrests is 165 lbs)

Some interference may exist in certain configurations. N/A with Heavy Duty

✔	Option #		Definition	Price
☐	002H162		Z-finity Hanger	NC

Z-finity Footrest Mount

✔	Option #		Definition	Price
☐	002DI22		Direct Hanger Mt/Fixed Frame - High	NC
☐	002DI23		Direct Hanger Mt/Fixed Frame - Low	NC
☐	002DI24		Extension Tube Mount	NC

Z-finity Footrest Pivot Arm

✔	Option #		Definition	Price
☐	002DI20		Short 2"	NC
☐	002DI21		Long 3 1/4"	NC

Z-finity Footplate

Some interference may exist in certain configurations.

✔	Option #		Definition	Price
☐	002F320		Multi Angle Adjustable *(Pair)* (not avail. w/8"-9" widths)	$243.00
☐	002F321		Angle Adjustable Platform Footboard	$243.00
☐	002F6		Omit Footplate	NC

Z-finity ExtensionTube Length *(When Choosing Ext. Tube Mount)*

✔	Option #		Definition	Price
☐	002E62		Hemi Short	NC
☐	002E1		Short	NC
☐	002E2		Medium	NC
☐	002E5		Long	NC

 © 2024 Sunrise Medical Canada Inc. MK-100403-CAN Rev (15)

7. BACKREST / SEATING

Back Type

✔	Option #		Definition	Price
☐	002BT10		Standard *(see section A)*	NC
☐	002BT20		Angle Adjustable Back *(3-5" Pivot) (see section B)*	$352.00
☐	002BT22		Angle Adjustable Back *(5"-7" Pivot) (see section B)*	$352.00
☐	002BT6		Depth Adjustable *(Required with DAB) (see section C)*	NC

SECTION A

Back Height Setting

✔	Option #			✔	Option #		
☐	002UX4	9"	NC	☐	002UX16	15"	NC
☐	002UX6	10"	NC	☐	002UX18	16"	NC
☐	002UX8	11"	NC	☐	002UX20	17"	NC
☐	002UX10	12"	NC	☐	002UX22	18"	NC
☐	002UX12	13"	NC	☐	002UX24	19"	NC
☐	002UX14	14"	NC				

Back Height

✔	Option #		Definition	Price
☐	002B1		Low (9"-12" *Std Back height range*)	NC
☐	002B5		Medium (12"-15" *Std Back height range*)	NC
☐	002B9		Tall (16"-19" *Std Back height range*)	NC

Back Post Options

Omit push handles N/A w/ stabilizer bar. Folding HA push handle N/A w/8 deg or Low back height.

Standard Back type options:

✔	Option #		Definition	Price
☐	002BP1		Push Handle Straight	NC
☐	002BP3		Push Handle 8° *Med or Tall only. N/A w/ Angle Adjustable Backrest*	NC
☐	002BP2		Omit Push Handle Straight *(N/A w/HD)*	NC
☐	002BP4		Omit Push Handle 8° *(N/A w/HD) Med or Tall only*	NC
☐	002PH17		Folding Push Handle with Ht. Adj. Back *N/A w/Angle Adj Back & Heavy D.*	$305.00

SECTION B

Angle Adjustable Backrest Pivot Height

Standard push handles only. Some interference w/ Padded SA arms. N/A w/ flip-back or flip-back height adjustable armrests (classic).

✔	Option #		Definition	Price
☐	002AH1		Angle Adjustable Pivot 3"	NC
☐	002AH2		Angle Adjustable Pivot 4"	NC
☐	002AH3		Angle Adjustable Pivot 5"	NC
☐	002AH4		Angle Adjustable Pivot 6"	NC
☐	002AH5		Angle Adjustable Pivot 7"	NC

Preset Angle Adjustable Backrest (-15° to +3°) (Optional)

✔	Option #		Definition	Price
☐	002BD5		Back Angle - 15°	NC
☐	002BD4		Back Angle - 12°	NC
☐	002BD3		Back Angle - 6°	NC
☐	002BD2		Back Angle - 0°	NC
☐	002BD1		Back Angle +3°	NC

Angle Adj Back type options:

✔	Option #		Definition	Price
☐	002BP5		Angle Adj. Straight Push Handles	NC
☐	002BP6		Angle Adj. Omit Push Handles, *N/A w/HD*	NC

Circle the height setting in the below chart:

Angle Adjustable Backrest Chart

Back Tube Height	Low	Medium	Tall
Pivot Regular set at 3"	12" 13" 14"	15" 16" 17"	17" 18" 19"
Pivot Regular set at 4"	13" 14" 15"	16" 17" 18"	18" 19" 20"
Pivot Regular set at 5"	14" 15" 16"	17" 18" 19"	19" 20" 21"
Pivot Tall set at 5"	14" 15" 16"	17" 18" 19"	19" 20" 21"
Pivot Tall set at 6"	15" 16" 17"	18" 19" 20"	N/A
Pivot Tall set at 7"	16" 17" 18"	19" 20" 21"	N/A
Adjustable Pivot Point Measurement from Seat Sling			
If back height option is not chosen, middle option will be present			



SECTION C

DAB Back Post Options

Diagram of DAB in Appendix on page 9. SA Stroller Handle height range is 21.25"-28.5"

✔	Option #		Definition	Price
☐	002BP33		DAB - Swing Away Stroller Handles	$190.00
☐	002BP27		DAB - Post Standard (19")	NC
☐	002BP28		DAB - Post Medium (22")	NC
☐	002BP29		DAB - Post Tall (25")	NC

DAB Backrest Options

DAB Solid Back NA w/23" & 24" frame widths

✔	Option #		Definition	Price
☐	002BU28		Omit DAB Solid Back and Hardware	NC
☐	002BU29		Omit DAB Solid Back Include Hardware	$160.00
☐	002BU23		Depth Adjustable Solid Back	$185.00

DAB Solid Backrest Height

✔	Option #		Definition	Price
☐	002B66		Depth Adjustable 12"	NC
☐	002B67		Depth Adjustable 14"	NC
☐	002B68		Depth Adjustable 16"	NC
☐	002B69		Depth Adjustable 18"	NC
☐	002B70		Depth Adjustable 20"	NC

Back Type - Build 4 Me Options

Must choose DAB Back type with B4ME options

✔	Option #		Definition	Price
			B4ME - Dynamic Back	$1,535.00
☐	002BT127	☐	Fixed Back post	NC
			☐ Std *(19")* ☐ Med *(22")* ☐ Tall *(25")*	
		☐	Height Adjustable Stroller handles	NC
			☐ Std *(18"-23")* ☐ Tall *(19"-26")*	
☐	002BT128		B4ME - Reclining Backrest	$1,436.00
			☐ Med *(19")* ☐ Tall *(22")*	

Specifications are subject to change without notice. © 2024 Sunrise Medical Canada Inc. MK-100403-CAN Rev (15)

✔	Option #	Definition	Price	✔	Option #	Definition	Price

7. BACKREST / SEATING (cont)

BACKREST UPHOLSTERY AND ACCESSORIES

Backrest Upholstery (Standard or Angle Adjustable)

Std EXO upholstery and Tension adj binding is always black.EXO Tension Adj Uph N/A with Heavy Duty. Max back height 20"for EXO.

Not available with DAB back type.

☐	002BU1		Standard Upholstery	NC
☐	002BU88		Standard Upholstery EXO	$74.00
Color Binding: ☐ Silver ☐ Orange ☐ Red ☐ Blue				
☐	002BU70		Backrest Tension Adjust Ballistic **Reference 186BU70 for billing*	$187.00
☐	002BU89		Backrest Tension Adj EXO **Reference XXXBU89 for billing*	$442.00
Color Binding: ☐ Silver ☐ Orange ☐ Red ☐ Blue				
☐	002BU71		Backrest Tension Adjust 3DX Vented **Reference 186BU71 for billing*	$464.00
☐	002BU82		Jay GO Backrest *N/A on Heavy Duty*	$589.00
☐	002BU14		Omit Back Upholstery	NC

Standard Backrest Option

☐	002OD4		Reinforced Upholstery *Only avail w/ Std Back Upholstery. Std w/HD package*	$54.00

Stabilizer Bar

N/A with Folding Push Handle, or with Ht. Adj. Back or DAB Stroller handles

☐	002SZ1		Stabilizer Bar *Standard with HeavyDuty Package and Recline*	$162.00

Military Service Patches (Optional)

N/A with standard Upholstery

☐	002VU2		Army Patch	NC
☐	002VU4		Air Force Patch	NC
☐	002VU12		Coast Guard Patch	NC
☐	002VU1		Marines Patch	NC
☐	002VU3		Navy Patch	NC
☐	002VU5		Purple Heart Patch	NC
☐	002VU9		Purple Heart with Army Patch	NC
☐	002VU11		Purple Heart with Air Force Patch	NC
☐	002VU13		Purple Heart with Coast Guard Patch	NC
☐	002VU8		Purple Heart with Marines Patch	NC
☐	002VU10		Purple Heart with Navy Patch	NC

JAY Back (Optional)

☐	002JB01		J3 Back *(See J3 Order Form)*	Price List

Stroller Handles (Removable Push Handles)

Only available w/ omit push handles. N/A w/ DAB, amputee axle plate, push handles, or when angle adjustable back is selected, flip-back or flip-back height adjustable armrests, and JAY backs.

☐	002SR2		Regular Stroller Handles	$190.00
☐	002SR3		Tall Stroller Handles	$190.00



NEW! Stroller Handle Extension - Removable

Add the part number to your order corresponding to the chair width. Only available for widths 12-20". 7/8" to 1" tubing push cane conversion kit will be required except with DAB.

☐	#842052		Stroller Extension Assembly 12" wide	$182.00
☐	#842053		Stroller Extension Assembly 13" wide	$182.00
☐	#842054		Stroller Extension Assembly 14" wide	$182.00
☐	#842055		Stroller Extension Assembly 15" wide	$182.00
☐	#842056		Stroller Extension Assembly 16" wide	$182.00
☐	#842057		Stroller Extension Assembly 17" wide	$182.00
☐	#842058		Stroller Extension Assembly 18" wide	$182.00
☐	#842059		Stroller Extension Assembly 19" wide	$182.00
☐	#842063		Stroller Extension Assembly 20" wide	$182.00
☐	#125324		Push Handle Conversion Kit 7/8" to 1"	$144.00



✔	Option #	Definition	Price	✔	Option #	Definition	Price

8. ARMREST / SIDE GUARDS

Padded Swing Away

*N/A w/ DAB, Amputee axle. Some limitations may exist with integral push handles, some RSTFHs and wheel sizes. **Now available w/Transit.*

☐	002AA18		Padded Swing-Away STD (9" to 13")	$274.00
		Setting	☐ 9" ☐ 10" ☐ 11" ☐ 12" ☐ 13"	

Flip Back

N/A w/ DAB, Xtender, 12" - 14" frame depth, Classic Style armpad in highest/lowest axle RSH on rounded rear frame, or angle adjustable back.4 Point (FS) J3 mounting bracket will cause interference with Flip Back Height Adj armrest. Flip back N/A with amputee axle plate for seat heights requiring the highest axle plate position

☐	002AA6		Flip Back Height Adj*(Classic 8.5"-13.5")*	$375.00
☐	002AA5		Flip Back *(incl. Desk Length Pad)*	NC
☐	002AA65		Flip Back Height Adj *(LITE 8.5"-13.5")*	$375.00

Flip Up (For use with Depth Adjustable Back)

Requires an Armpad or Foam from the Arm Pad section below

☐	002AA7		Length Adjustable Locking Flip-up	$334.00
☐	002AA1		Adj. Locking Flip-up *(Std. w/ foam)*	$334.00

Height Adjustable

☐	002AA11		Single Post Hgt. Adj. Std (8.5"-13.5")	$334.00
☐	002AA29		Single Post Hgt. Adj. Low (7"-11")	$334.00

Omit Armrest

☐	002AA14		Omit Armrest	NC

Armpad for Height Adjustable

Ergo armpad only available with Single post Height adj & Flip back armrest

Ergo not available with Classic Flip Back armrest

☐	002AM23		Desk Length - Classic (10")	NC
☐	002AM24		Full Length - Classic (14")	NC
☐	002AM9		Armpad Foam - Short (Flip Up armrests)	NC
☐	002AM10		Armpad Foam - Long (Flip Up armrests)	NC
☐	002AM27		Ergo Pad (9.5"-13.5")	NC

Side Guard

Plastic side guards N/A w/ height adj. arms. Side guard interference w/ Padded SA arms at some heights may exist.

☐	002SG33		Plastic Standard (8.5" High)	$185.00
☐	002SG29		Plastic Low (6.5" High)	$185.00

9. KEY OPTIONS & ACCESSORIES

Anti-Tip

☐	002AT1		Rear Anti-Tip *(NC w/ Xtender)*	$119.00

Backpack

☐	002A1		Quickie Backpack Black	$110.00
☐	002A2		Quickie Kids Backpack Black	$103.00

Seat Pouch

☐	0021A01		Seat Pouch Black /Charcoal	$82.00

JAY Positioning

☐	002K1		JAY Lower Extremity S/A support ☐ Left ☐ Right Position	NC
☐	002K2		Omit Hanger ☐ Left ☐ Right	NC
☐	002K7		Pad Size ☐ 6" x 8" ☐ 8" x 10"	NC

Additional Cover & Pack Accessories

☐	0028A02		Gel Cover Hanger/Frame	$160.00
☐	0028A01		Gel Cover Swing Away Arm	$160.00

Positioning Belts

☐	002A141		Belt 1.5" Auto Buckle w/Clamps	$96.00
☐	002A117		Belt 2" Aircraft Buckle w/Clamps	$137.00
☐	002A118		Belt 2" Aircraft Buckle Pad w/Clamp	$201.00
☐	002A120		Positioning Belt Slide Clamps	$60.00

Spoke Guards

Only available w/Mountain, and Lite Spoke wheels,

Not available with 5 spoke MAG wheels or Projection handrims

☐	0024A02		Quickie Clear Spoke Guards	$155.00
☐	0024A01		Quickie Black Spoke Guards	$155.00

9. KEY OPTIONS & ACCESSORIES (cont)

Tray Tables

✔	Option #		Definition	Price
☐	002A30		Small (13"-14"W)	$375.00
☐	002A31		Medium (15"-17"W)	$375.00
☐	002A32		Large (18"-20"W)	$375.00
☐	002A33		X-Large (21"-22"W)	$375.00

Miscellaneous

O2 holder N/A with Xtender or 12" - 13" frame width. Crutch holder N/A with EXO Tension Adj upholstery and Omit push handle

✔	Option #		Definition	Price
☐	0028A03		Caddy *(N/A w/ front mount hangers)*	$88.00
☐	002A2100		Crutch Holder	$113.00
☐	002LS14		Extra Leg Strap Black	$36.00
☐	002IG2		Impact Guard Neoprene	$60.00
☐	002A73		IV Holder	$215.00
☐	002A145		O2 Holder	$422.00
☐	0028A21		Tool Kit	$42.00
☐	002A999		Quickie Water Bottle & Holder	$80.00

10. COLOR

Standard Frame Colors

NEW!	Option #		Definition	Price
☐	002C214		Gloss Black	NC
☐	002C215		Matte Black	NC
☐	002C211		Celestial Sapphire	NC
☐	002C222		Royal Blue	NC
☐	002C224		Scarlet Noir	NC
☐	002C221		Red Pepper	NC

Anodized Color Package

Standard Axle plate, Multi Forks and Aluminum Soft Roll casters only. N/A with Frog Legs.

✔	Option #		Definition	Price
☐	002EB07		Black - *Caster only*	NC

Additional Options Through Built for Me

To inquire about any unique personalized Quickie products, contact: Phone: (800) 263 - 3390, Email cscanda@sunmed.com

built4me

ON-CHAIR BUILD-READY SPECIALIZED UNIQUE

Commonly Requested Options Include:

- ✓ **Personalized Anodizing**
- ✓ **Xtender Battery on right side**
- ✓ **Dual Mount Wheel Locks - Attendant Foot Lock**
- ✓ **Hub Wheel Locks on Mag or Spoke Wheels**
- ✓ **Colored handrims**

11. APPENDIX

Frame Depth matrix

Frame Depth \ Seat Depth	12"	13"	14"	15"	16"	17"	18"	19"	20"	21"	22"
13"	S	S									
14"	S	S	S								
15"	S	S	S	S							
16"		S	S	S	S						
		Hemi*									
17"			S	S	S	S					
			Hemi*								
18"				S	S	S	S				
				Hemi*							
19"					S	S	S	S			
20"						S	S	S	S		
						Hemi*					
21"							S	S	S	S	
							Hemi*				
22"								S	S	S	S
								Hemi*			

"S" = Standard Frame Style
"H" = Hemi Frame Style
*Only (6) Frame Depths avail. on Hemi Style Frame

Depth Adjusable Back Frame



Seat Depth and Frame Depth selections based on Standard Backrest position

✔	Option #	Definition	Price	✔	Option #	Definition	Price

11. APPENDIX

Lower Leg Length Matrix

2" & 4" extensions for front mount hangers shipped separate, not mounted. Front seat height must be at least 2" taller than lower leg length on all swing in/out hangers. Front seat height must be at least 2" taller than maximum lower leg length on all front mount hangers. All values shown apply to Standard frame style, subtract 1.5" to get Hemi equivalent.More than 2" will require on field adjustment.

Hanger	Extension	Seat Sling to Top of Footrest in inches		Min Allowable FSH
		Min	Max	
60° Hemi Swing In/Out	Short Hemi	10	13	14
	Short	-	-	-
	Med	12.5	15.5	15.5
	Long	14.5	17.5	17.5
70° Hemi Swing In/Out	Short Hemi	11	14	14
	Short	-	-	-
	Med	13.5	16.5	16
	Long	15.5	18.5	18
60° Swing In/Out	Short	11.5	15	15
	Med	11.5	17	15
	Long	14	18.5	17
70° Swing In/Out	Short	12	16.5	15
	Med	12.5	18.5	15.5
	Long	14.5	20.5	17.5
80° Swing In/Out	Short	13.5	17	15.5
	Med	13.5	19	15.5
	Long	15.5	20.5	17.5
60° Swing In/Out w/Platform Flip Up	Short	11.5	14.5	14
	Long	14	18.5	16
70° Swing In/Out w/Platform Flip Up	Short	13	15.5	15
	Long	15.5	20	17.5
80° Swing In/Out w/Platform Flip Up	Short	13.5	14.5	15.5
	Long	15	19	17
70° Front Mount	No Ext	6	11.5	14
	2"	6	14	16
	4"	6	16	18
80° Front Mount	No Ext	6	12	14
	2"	6	14.5	16.5
	4"	6	16.5	18.5
90° Front Mount	No Ext	5.5	11.5	14
ALR	Short	15	16.5	17
	Med	15	18.5	17
	Long	16.5	20.5	18.5
ELR Ext. Mount	Short	12	16.5	15.5
	Med	12	18.5	15.5
	Long	13.5	20.5	17
ELR Front Mount	No Ext	5.5	9.5	13

Bckrest Height Matrix

Back Type	Ang-Adj Pivot Ht Setting	Push Handles	Backrest Height	Avail. Ht. Range
Standard - (Fixed)	N/A	Integral	Low	9"-12"
			Medium	12"-15"
			Tall	16"-19"
		Omit	Low	9"-12"
			Medium	12"-15"
			Tall	16"-19"
Angle Adjustable (3"-5" Pivot)	3"	Integral	Low	12"-14"
			Medium	15"-17"
			Tall	17"-19"
	4"	Integral	Low	13"-15"
			Medium	16"-18"
			Tall	18"-20"
	5"	Integral	Low	14"-16"
			Medium	17"-19"
			Tall	19"-20"
	3"	Omit	Low	12"-14"
			Medium	15"-17"
			Tall	17"-19"
	4"	Omit	Low	13"-15"
			Medium	16"-18"
			Tall	18"-20"
	5"	Omit	Low	14"-16"
			Medium	17"-19"
			Tall	19"-20"
Angle Adjustable (5"-7" Pivot)	5"	Integral	Low	14"-16"
			Medium	17"-19"
			Tall	19"-20"
	6"	Integral	Low	15"-17"
			Medium	18"-20"
			Tall	N/A
	7"	Integral	Low	16"-18"
			Medium	18"-20"
			Tall	N/A
	5"	Omit	Low	14"-16"
			Medium	17"-19"
			Tall	19"-20"
	6"	Omit	Low	15"-17"
			Medium	18"-20"
			Tall	N/A
	7"	Omit	Low	16"-18"
			Medium	18"-20"
			Tall	N/A
Folding Push Handle - (Stroller Handle w/ Knuckle)	N/A	N/A	Low	9"-12"
			Medium	12"-15"
			Tall	16"-19"

✔	Option #	Definition	Price	✔	Option #	Definition	Price

11. APPENDIX

Quickie 2 Seat To Floor Height Matrix - Standard Frame *Hemi options will result in a reduction of approx 2 1/2"

** Values Given are Estimates. Actual seat to floor height may vary based on seat depth and front seat to floor height selection.*

All 3" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	-	-	16.5	17.0
	1/2"	-	-	-	17.0	17.5
	1"	-	-	-	17.5	18.0
	1 1/2"	-	-	-	18.0	18.5
Multi Position Tall	Std	-	-	-	18.5	19.0
	1/2"	-	-	-	19.0	19.5
	1"	-	-	-	19.5	20.0
	1 1/2"	-	-	-	20.0	20.5
3"	Std	-	-	-	-	15.0
	1/2"	-	-	-	-	15.5
	1"	-	-	-	-	16.0
	1 1/2"	-	-	-	-	16.5
5 1/4"	Std	-	-	-	-	17.5
	1/2"	-	-	-	-	18.0
	1"	-	-	-	-	18.5
	1 1/2"	-	-	-	-	19.0
6"	Std	-	-	-	-	18.0
	1/2"	-	-	-	-	18.5
	1"	-	-	-	-	19.0
	1 1/2"	-	-	-	-	19.5
7"	Std	-	-	-	-	19.0
	1/2"	-	-	-	-	19.5
	1"	-	-	-	-	20.0
	1 1/2"	-	-	-	-	20.5
8" x 2"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Frog Legs	Std	-	-	-	16.5	17.0
	1 1/2"	-	-	-	18.0	18.5
Integral Multi Pos Forks (Low)	Std	-	-	-	15.5	16.0
	1/2"	-	-	-	16.0	16.5
	1"	-	-	-	16.5	17.0
Integral Multi Pos Forks (Std)	Std	-	-	-	16.5	17.0
	1/2"	-	-	-	17.0	17.5
	1"	-	-	-	17.5	18.0

All 4" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	-	16.5	17.0	17.5
	1/2"	-	-	-	17.5	18.0
	1"	-	-	-	18.0	18.5
	1 1/2"	-	-	-	18.5	19.0
Multi Position Tall	Std	-	-	18.5	19.0	19.5
	1/2"	-	-	-	19.5	20.0
	1"	-	-	-	20.0	20.5
	1 1/2"	-	-	-	20.5	21.0
3"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
5 1/4"	Std	-	-	17.0	17.5	18.0
	1/2"	-	-	-	18.0	18.5
	1"	-	-	-	18.5	19.0
	1 1/2"	-	-	-	19.0	19.5
6"	Std	-	-	17.5	18.0	18.5
	1/2"	-	-	-	18.5	19.0
	1"	-	-	-	19.0	19.5
	1 1/2"	-	-	-	19.5	20.0
7"	Std	-	-	18.5	19.0	19.5
	1/2"	-	-	-	19.5	20.0
	1"	-	-	-	20.0	20.5
	1 1/2"	-	-	-	20.5	21.0
8" x 2"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Frog Legs	Std	-	-	16.5	17.0	17.5
	1 1/2"	-	-	18.0	18.5	19.0
Integral Multi Pos Forks (Low)	Std	-	-	-	16.0	16.5
	1/2"	-	-	-	16.5	17.0
	1"	-	-	-	17.0	17.5
Integral Multi Pos Forks (Std)	Std	-	-	16.5	17.0	17.5
	1/2"	-	-	-	17.5	18.0
	1"	-	-	-	18.0	18.5

All 5" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	16.5	17.0	17.5	18.0
	1/2"	-	-	-	18.0	18.5
	1"	-	-	-	18.5	19.0
	1 1/2"	-	-	-	19.0	19.5
Multi Position Tall	Std	-	18.5	19.0	19.5	20.0
	1/2"	-	-	-	20.0	20.5
	1"	-	-	-	20.5	21.0
	1 1/2"	-	-	-	21.0	21.5
3"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
5 1/4"	Std	-	-	17.5	18.0	18.5
	1/2"	-	-	-	18.5	19.0
	1"	-	-	-	19.0	19.5
	1 1/2"	-	-	-	19.5	20.0
6"	Std	-	-	18.0	18.5	19.0
	1/2"	-	-	-	19.0	19.5
	1"	-	-	-	19.5	20.0
	1 1/2"	-	-	-	20.0	20.5
7"	Std	-	-	19.0	19.5	20.0
	1/2"	-	-	-	20.0	20.5
	1"	-	-	-	20.5	21.0
	1 1/2"	-	-	-	21.0	21.5
8" x 2"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Frog Legs	Std	-	-	-	17.5	18.0
	1 1/2"	-	-	-	19.0	19.5
Integral Multi Pos Forks (Low)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
Integral Multi Pos Forks (Std)	Std	-	-	17.0	17.5	18.0
	1/2"	-	-	-	18.0	18.5
	1"	-	-	-	18.5	19.0

All 6" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	-	17.5	18.0	18.5
	1/2"	-	-	-	18.5	19.0
	1"	-	-	-	19.0	19.5
	1 1/2"	-	-	-	19.5	20.0
Multi Position Tall	Std	18.5	19.0	19.5	20.0	20.5
	1/2"	-	-	-	20.5	21.0
	1"	-	-	-	21.0	21.5
	1 1/2"	-	-	-	21.5	22.0
3"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
5 1/4"	Std	-	-	18.0	18.5	19.0
	1/2"	-	-	-	19.0	19.5
	1"	-	-	-	19.5	20.0
	1 1/2"	-	-	-	20.0	20.5
6"	Std	-	18.0	18.5	19.0	19.5
	1/2"	-	-	-	19.5	20.0
	1"	-	-	-	20.0	20.5
	1 1/2"	-	-	-	20.5	21.0
7"	Std	-	19.0	19.5	20.0	20.5
	1/2"	-	-	-	20.5	21.0
	1"	-	-	-	21.0	21.5
	1 1/2"	-	-	-	21.5	22.0
8" x 2"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Frog Legs	Std	-	-	-	-	18.5
	1 1/2"	-	-	-	-	20.0
Integral Multi Pos Forks (Low)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
Integral Multi Pos Forks (Std)	Std	-	-	-	17.5	18.0
	1/2"	-	-	-	18.0	18.5
	1"	-	-	-	18.5	19.0

All 7" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	-	-	-	19.0
	1/2"	-	-	-	-	19.5
	1"	-	-	-	-	20.0
	1 1/2"	-	-	-	-	20.5
Multi Position Tall	Std	19.0	19.5	20.0	20.5	21.0
	1/2"	-	-	-	21.0	21.5
	1"	-	-	-	21.5	22.0
	1 1/2"	-	-	-	22.0	-
3"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
5 1/4"	Std	-	-	-	19.0	19.5
	1/2"	-	-	-	19.5	20.0
	1"	-	-	-	20.0	20.5
	1 1/2"	-	-	-	20.5	21.0
6"	Std	-	-	19.0	19.5	20.0
	1/2"	-	-	-	20.0	20.5
	1"	-	-	-	20.5	21.0
	1 1/2"	-	-	-	21.0	21.5
7"	Std	-	19.5	20.0	20.5	21.0
	1/2"	-	-	-	21.0	21.5
	1"	-	-	-	21.5	22.0
	1 1/2"	-	-	-	22.0	-
8" x 2"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Integral Multi Pos Forks (Low)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
Integral Multi Pos Forks (Std)	Std	-	-	-	-	19.0
	1/2"	-	-	-	-	19.5
	1"	-	-	-	-	20.0

All 8" x 1.5" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Multi Position Tall	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
3"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
5 1/4"	Std	-	-	-	19.0	19.5
	1/2"	-	-	-	-	20.0
	1"	-	-	-	-	20.5
	1 1/2"	-	-	-	-	21.0
6"	Std	-	-	19.5	20.0	20.5
	1/2"	-	-	-	20.5	21.0
	1"	-	-	-	21.0	21.5
	1 1/2"	-	-	-	21.5	22.0
7"	Std	-	20.0	20.5	21.0	21.5
	1/2"	-	-	-	21.5	22.0
	1"	-	-	-	22.0	-
	1 1/2"	-	-	-	-	-
8" x 2"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Integral Multi Pos Forks (Low)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
Integral Multi Pos Forks (Std)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-

✔	Option #	Definition	Price	✔	Option #	Definition	Price

11. APPENDIX

Quickie 2 Seat To Floor Height Matrix - Standard Frame **Hemi options will result in a reduction of approx 2 1/2"*

** Values Given are Estimates. Actual seat to floor height may vary based on seat depth and front seat to floor height selection.*

All 8" x 2" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Multi Position Tall	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
3"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
5 1/4"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
6"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
7"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
8" x 2"	Std	-	-	-	20.0	20.5
	1/2"	-	-	-	20.5	21.0
	1"	-	-	-	21.0	21.5
	1 1/2"	-	-	-	21.5	22.0
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Integral Multi Pos Forks (Low)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
Integral Multi Pos Forks (Std)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-

All Other 8" Casters

Fork Size	Stem Size	Bolt Position 5	4	3	2	1
Multi Position Short	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Multi Position Tall	Std	19.5	20.0	20.5	21.0	21.5
	1/2"	-	-	-	21.5	22.0
	1"	-	-	-	22.0	-
	1 1/2"	-	-	-	-	-
3"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
5 1/4"	Std	-	-	-	-	20.0
	1/2"	-	-	-	-	20.5
	1"	-	-	-	-	21.0
	1 1/2"	-	-	-	-	21.5
6"	Std	-	-	-	20.0	20.5
	1/2"	-	-	-	20.5	21.0
	1"	-	-	-	21.0	21.5
	1 1/2"	-	-	-	21.5	22.0
7"	Std	-	20.0	20.5	21.0	21.5
	1/2"	-	-	-	21.5	22.0
	1"	-	-	-	22.0	-
	1 1/2"	-	-	-	-	-
8" x 2"	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-
Integral Multi Pos Forks (Low)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-
Integral Multi Pos Forks (Std)	Std	-	-	-	-	-
	1/2"	-	-	-	-	-
	1"	-	-	-	-	-

1000 Creditstone Road, Unit 2 Concord, ON L4K 4V3 • Canada